



Slash® 4X4 VXL (Model 68286-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

6786	Ball bearing kit, Slash® 4X4/Stampede® 4X4/Rustler® 4X4/Hoss® 4X4 VXL (complete)
6786X	Ball bearing kit, stainless steel, Slash® 4X4/Stampede® 4X4/Rustler® 4X4/Hoss® 4X4 VXL (complete)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6934	Body conversion kit, Slash 2WD/Slash 4X4 (includes front & rear latch mounts, latches, hardware) (for clipless mounting)
5851-BLUE	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5924-BLUE	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5851-GRN	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5924-GRN	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5851T	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), orange & blue (painted, decals applied)
5851-ORNG	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), orange & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5924-ORNG	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5851-PINK	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), pink & purple (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5851-RBLU	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5924-RED	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5851-RED	Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5855	Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet
5924	Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet
5851L	Body, Slash® 2WD, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
6965	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheet (requires #6967 latches and #6966 latch mounts for clipless mounting)
5855-BLUE	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied)
6941-BLUE	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6910-BLUE	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6949	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6928-GRN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6941-GRN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)

6910-GRN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6844-GRN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green and blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5849-HWN	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Hawaiian graphics (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5824-BLUE	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Keegan Kincaid (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6928-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5850-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6910-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6941-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6844-ORNG	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange and blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6928-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5855-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied)
5824-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6941-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6910-RED	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5848-RNR	Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Rock n' Roll (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6932-GRN	Body, Slash® 4X4, green (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)
6965R	Body, Slash® 4X4, heavy duty (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheet (requires #6967 latches and #6966 latch mounts for clipless mounting)
5855X	Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash® 2WD) (graphics are printed, requires paint & final color application)/ decal sheet
6933	Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash® 2WD) (graphics are printed, requires paint & final color application)/ decal sheet
6932L	Body, Slash® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
6932-RED	Body, Slash® 4X4, red (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)
6849	Body, Slash® 4X4/Slash®, Fox Edition (painted, decals applied)
6849-FOX	Body, Slash® VXL 2WD (also fits Slash® 4X4), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6812-GRN	Body, Slash® VXL 2WD (also fits Slash® 4X4), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6812-ORNG	Body, Slash® VXL 2WD (also fits Slash® 4X4), orange & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)
6812R	Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted, decals applied)
6812-RED	Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)
5915	Body, Slash® VXL 2WD, ProGraphix® (also fits Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet
2514	Decal sheet, racing sponsors

Page 2 Slash® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68286-4) Parts List

6813	Decal sheet, Slash® 4X4
6966	Latch mounts/ retainers (front & rear, left & right)
6967	Latch, body mounts (front & rear)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
Center Driveline	
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
6893X	Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6841	Cover, center driveshaft (clear)
6877A	Cover, gear (clear)
6877	Cover, gear/ motor wire hold-down clip
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
5148	Grease, white lithium
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
6890	Plate, motor
6890X	Plate, motor, 6061-T6 aluminum (blue-anodized)
6890R	Plate, motor, 6061-T6 aluminum (red-anodized)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone Grease
6878	Slipper clutch, complete (for Slash 4x4)
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

Chassis & Attachments

6976	Body mount, front/ adapter, front/ inserts (2) (for clipless body mounting)
10125	Body mount, rear/ inserts (2) (for clipless body mounting)
3924	Box, receiver (sealed)/ foam pad/ silicone grease/2.5x8mm BCS (2)/ 3x10mm CCS (2)/ 3x15mm CCS (2)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
6835X	Bumper, front / bumper support (fits Slash® 4X4) (for LED light kit installation)
6836X	Bumper, rear / bumper mount (fits Slash® 4X4) (for LED light kit installation)
7421	Chassis conversion kit, low CG (Slash 4x4)
6822	Chassis, Slash 4X4
6841	Cover, center driveshaft (clear)
5827	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip
5827X	Hold down, battery/ hold down retainer/ battery post/ foam spacer/ angled body clip (allows for installation of taller, multi-cell batteries)
6840	Mount, Go-Pro camera, fiberglass
3925	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6780	Differential kit, center (complete) (aluminum carrier)
6780A	Differential kit, center (complete) (assembled with 500K wt differential fluid & 54T spur gear)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
6788	Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6789	Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)

6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6881	Housings, differential, front
6880	Housings, differential, rear
6782	Output gears, center differential, hardened steel (2)
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone Grease

Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6855	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (214mm)
6855G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (214mm)
6855R	Driveshaft, center, 6061-T6 aluminum (red-anodized) (214mm)
6851R	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
9051X	Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)
6852R	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9052X	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)
6750	Half shaft, external splined (steel-spline constant velocity) (1)
6751	Half shaft, internal splined (steel-spline constant velocity) (1)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)
6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
9054X	Stub axle, front, steel-splined constant velocity (1)
6754	Stub axle, front, steel-splined constant velocity (1)
6753	Stub axle, rear, steel-splined constant velocity (1)
9053X	Stub axle, rear, steel-splined constant velocity (1)

Extreme HD Upgrade Kit

9016	Body mounts, front & rear, extreme heavy duty (for use with #9080 upgrade kit)
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

Page 3 Slash® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68286-4) Parts List

9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)	9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	1654R	Wheel hubs, hex (steel) (2)/ axle pins (2)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9086	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	9086-GRAY	Wheel hubs, splined, 17mm, short (gray-anodized) (4)/ wheel nuts, splined, 17mm (gray-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	9086-GRN	Wheel hubs, splined, 17mm, short (green-anodized) (4)/ wheel nuts, splined, 17mm (green-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9080	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black	9086-ORNG	Wheel hubs, splined, 17mm, short (orange-anodized) (4)/ wheel nuts, splined, 17mm (orange-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9080X	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue	9086-RED	Wheel hubs, splined, 17mm, short (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (for use with #9080 upgrade kit)
9080-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray	Front Suspension & Steering	
9080G	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green	2728	Ball bearings (5x8x2.5mm) (2)
9080T	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange	6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
9080R	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red	6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)	6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)	6830X	Bulkhead, front
9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)	3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)	3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)	3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)	6832X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)	6832G	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)	6832A	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right
9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)	6832R	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)	6832	Caster blocks (c-hubs), left & right
9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)	6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)	6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)	6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6895	Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs)
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6897	Linkage, rear sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs)
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	6839	Shock tower, front
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	6839X	Shock tower, front
		6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
		6837X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
		6837G	Steering blocks, 6061-T6 aluminum (green-anodized), left & right
		6837A	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right
		6837R	Steering blocks, 6061-T6 aluminum (red-anodized), left & right
		6837	Steering blocks, left & right
		6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)
		3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)

Page 4 Slash® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68286-4) Parts List

3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
6896	Wires, sway bar (front & rear, hard & soft) (Slash 4X4)/ 3x6 FCS (4)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1589	Double-sided adhesive tape (25mm x 25mm)
6787	Hardware kit, Hoss® 4X4 VXL/Slash® 4X4/Stampede® 4X4/Rustler® 4X4 (contains all hardware used on Hoss® 4X4 VXL, Slash® 4X4, Stampede® 4X4, or Rustler® 4X4)
6787X	Hardware kit, stainless steel, Hoss® 4X4 VXL/Slash® 4X4/Stampede® 4X4/Rustler® 4X4 (contains all stainless steel hardware used on Hoss® 4X4 VXL, Slash® 4X4, Stampede® 4X4, or Rustler® 4X4)
2745	Nuts, 3mm nylon locking (12)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2534	Screws, 3x6mm countersunk machine (6) (hex drive)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
2754	Stub axle pins (4)
2746	Washers, 3x6mm metal (12)

LED Lights

5893	LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)
6894	LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits Slash® 4X4)
2263	Y-harness, BEC to LED light set

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3340	Cooling fan, electronic speed control, Velineon® VXL-3s, VXL-4s or BL-2s™
2072A	Gear set (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)

2272	Gear set, metal (for 2270 waterproof servo)
2287	Gear set, metal (for 2280 servo)
3458	Heat sink (fits #3351R and #3461 motors)
3354R	Motor cover, endbell (Velineon® 3500)
6860A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
6860R	Motor mount, 6061-T6 aluminum (blue-anodized)
3351R	Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
6890	Plate, motor
6890X	Plate, motor, 6061-T6 aluminum (blue-anodized)
6890R	Plate, motor, 6061-T6 aluminum (red-anodized)
3352R	Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2280	Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
3350R	Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2923X	3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell
2926X	3000mAh 8.4V 7-cell hump NiMH Battery, Power Cell
2940X	3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell
2941X	3300mAh 8.4V 7-cell hump NiMH Battery, Series 3 Power Cell
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
2950X	4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell
2951X	4200mAh 8.4V 7-cell hump NiMH Battery, Series 4 Power Cell
2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2960X	5000mAh 8.4V 4-cell flat NiMH Battery, Series 5 Power Cell
2961X	5000mAh 8.4V 7-cell hump NiMH Battery, Series 5 Power Cell
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2983	Battery/charger complete pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))
2992	Battery/charger complete pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas® Link Bluetooth® module
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)

Page 5 Slash® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68286-4) Parts List

2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6555	Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3355R	VXL-3s Waterproof Electronic Speed Control (brushless) (fwd/rev/brake)

Ready-To-Race Model

68286-4	Slash® 4X4 VXL: 1/10 Scale 4WD Brushless Short Course Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
---------	---

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
6829	Bulkhead, rear
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
1952G	Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
1952T	Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware
1952	Carriers, stub axle (rear) (2)
1952A	Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (left & right)/ 3x32mm hinge pins (2)/ e-clips (6)/ hardware

6895	Linkage, front sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs)
6897	Linkage, rear sway bar (Slash 4x4) (2) (assembled with rod ends, hollow balls and ball studs)
6838	Shock tower, rear
6838X	Shock tower, rear, 7075-T6 aluminum (blue-anodized) (1)/ body mount bracket (1)
6853X	Stub axles, rear, heavy duty (2)/pins (2)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)
6896	Wires, sway bar (front & rear, hard & soft) (Slash 4X4)/ 3x6 FCS (4)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

7466X	Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
7466-PINK	Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7466A	Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7466R	Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7467X	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
7467-PINK	Body, GTR xx-long (pink-anodized, PTFE-coated aluminum) (1)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
7467R	Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5469	Rod ends (GTR shocks)
7464T	Shaft, GTR long, TiN-coated (2)
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461X	Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
7462-GRAY	Shocks, GTR xx-long (gray) (assembled) (2) (without springs)
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-ORNG	Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462-PINK	Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)

Page 6 Slash® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68286-4) Parts List

7462-RED	Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7462X	Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
7440	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
7441	Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
7444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
7448	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
7442	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
7443	Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
7446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Shocks (Pro-level Aluminum)

5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)
2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2667	Shock caps, aluminum (2) (Big Bore Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
2668	Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)
6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
6858	Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

3642	Attachment screws, shock (3x12mm shoulder screws) (6)
3765A	Body, Ultra Shock (long) (grey) (2)
3766A	Body, Ultra Shock (XXL) (grey) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
3767	Shock caps (2)/ shock bottoms (2)
3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
3767P	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
2362	Shock rebuild kit (for 2 shocks)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2656	Shock shafts, steel, chrome finish (xx-long) (2)
1765	Silicone diaphragms (4)
3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
6863	Springs, front (progressive, +10% rate, pink) (2)
6864	Springs, front (progressive, +20% rate, blue) (2)
6862	Springs, front (progressive, -10% rate, green) (2)
6861	Springs, front (progressive, -20% rate, orange) (2)
6857	Springs, front (white) (progressive rate) (2)

6867	Springs, rear (progressive, +10% rate, pink) (2)
6868	Springs, rear (progressive, +20% rate, blue) (2)
6866	Springs, rear (progressive, -10% rate, green) (2)
6865	Springs, rear (progressive, -20% rate, orange) (2)
6858	Springs, rear (white) (progressive rate) (2)
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
3760A	Ultra Shocks (gray) (long) (complete w/ spring pre-load spacers & springs) (2)
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
6893X	Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
6878	Slipper clutch, complete (for Slash 4x4)
5556	Slipper pressure plate & hub (aluminum alloy)
5351	Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
6843	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
3956	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
3956X	Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Steering Components

2728	Ball bearings (5x8x2.5mm) (2)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)
6846	Linkage, steering (Revo) (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)
2742	Rod ends, long (6)/ hollow ball connectors (6)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)

Page 7 Slash® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68286-4) Parts List

6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)	5883	Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)
2746	Washers, 3x6mm metal (12)		
Suspension Linkage			
2537	3mm threaded rods (includes 1 each of 20mm, 25mm & 44mm)	5863	Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	6876	Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	5873X	Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	6891R	Tires & wheels assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	5887R	Tires & wheels, assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	6892R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)	5887	Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
5525	Rod ends (12)/ hollow balls (12)		
3739	Screw pin set (Rustler® Bandit/ Stampede®)	5869A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)
6834	Suspension pin set, complete (front and rear)	5867A	Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)	6873T	Tires & wheels, assembled, glued (SCT Split-Spoke black chrome beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 ultra-soft S1 compound off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)		
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)	5891	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
Team Traxxas Items			
9916	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)	6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
2514	Decal sheet, racing sponsors	5892G	Tires & wheels, assembled, glued (SCT Split-Spoke green wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)	5892	Tires & wheels, assembled, glued (SCT Split-Spoke orange wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	6873	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
9909	Traxxas® racing banner, red & black (3x7 feet)	6892	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
Tires & Wheels			
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	5889	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)	5873	Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)	5873A	Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	5873R	Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R)
1647	Silicone Grease	6871	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
2754	Stub axle pins (4)	6871R	Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5889R	Tire & wheel assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5871	Tires, off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
5863R	Tire & wheel assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)	5871R	Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
6874R	Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)	1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)
6873R	Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)	1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
6873X	Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)	6856X	Wheel hubs, splined, 17mm, short (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 4WD)
5867	Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (4WD front/rear, 2WD rear only)	5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5880X	Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)	5480X	Wheel wrench, splined, 17mm
5878	Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2) (4WD front/rear, 2WD rear only)		
6873A	Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)		
5883A	Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)		

Page 8 Slash® 4X4 VXL: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 68286-4) Parts List

5868A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5870A	Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)	5525	Rod ends (12)/ hollow balls (12)
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)	6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
5872X	Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)	6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
5884A	Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)	3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)	3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)	5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)		
6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)		
5868X	Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)		

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, call outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM